

RIFLE HOLDERS IN
TWO ROWS

1. ON MOVABLE
RAIL

2. ON MAGNETS

**MOVABLE RIFLE
HOLDERS ON MAGNETS**

allow to locate the rifle holders
wherever inside the cabinet.
They may also serve as short gun
holders.

Available in sets of 1, 2, 3, and 4
pcs. of rifle holders on one rail.




**MOVABLE
SHELVES**

allow to adjust the usage
height at choice



**KEY HOOKS
ON HOOK BAR**

- convenient location for
hanging keys and other small
items



**MOVABLE
STORAGE BOXES**

Wall brackets on door and side walls
allow to adjust the hanging height
at choice



CLASS
S1
IMP

NEW SERIES

GOODS ON STOCK



Model Siegen S1 IMP

Security level:
class S1 according to EN 14450 certified by IMP

GOODS ON STOCK

Safes available with key and electronic locks.

RAL 7035 or RAL 7024 - other colours on request only.

Option with left hinges **with no surcharge.**

Product description
Siegen S1 IMP series - for storage rifles and short guns.

Body: single-walled body
Door: double-walled door construction
Locking: 4-way locking bolt system - incl. overlapping profile on the hinge side

Standard option
Lock: high security lock I class VdS/IMP class A with two keys (65mm)
Boltwork handle: knob, protruding 12 mm
Hinges: depending on the model internal or external
Door opening angle: 90°/180°
Mounting holes: 2 in the bottom and 2 in the back wall
Colour: RAL 7035 light gray and RAL7024 dark gray

A series of gun safes designed for storing both hunting and sporting weapons.
Through the **possibility of adjusting the height of the shelf as well as weapon holders** - one can freely personalize the interior, allowing convenient arrangement of weapons of different heights.

The safe comes standard with **two functional height-adjustable shelves**.
On the inside door cover there is a **hook bar** for hanging keys, binoculars and other items of everyday use.

The innovative use of **adjustable weapon holders** on metal rail, mounted on magnets, allows the discretionary relocation of weapon holders inside the cabinet.
For greater convenience of use, a **division of the weapon rail** was applied. Due to this solution, even the shortest gun can be put safely and properly in the safe. Weapon holders mounted on magnets may also serve as **short gun holders**.
Depending on the model, Siegen safes differ from one another in the amount of weapon holders as well as the dimensions, which enable to choose the well-suitable safe for individual needs.
Each safe is equipped in foam carpet at the bottom.



SIEGEN S1 IMP



Model
Siegen S1 IMP



Article no.	500088.01 / 500088.11
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	S1 IMP class
Outer dimensions HxWxD (mm)	1500 x 250 x 280
Door - opening angle	180°
Weight	55 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55 mm	2+2
- altogether	4
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2
The amount of hooks on the bar (pcs.)	3
The amount of ramrod holders (pcs.)	1

Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:



Stellar Basic Stellar Business



Article no.	500090.01 / 500090.11
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	S1 IMP class
Outer dimensions HxWxD (mm)	1500 x 340 x 350
Door - opening angle	90°
Weight	74 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55 mm	3+2, 1+1
- altogether	7
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2
The amount of hooks on the bar (pcs.)	3
The amount of ramrod holders (pcs.)	1

Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:



Stellar Basic Stellar Business Primor 3000 level 5 Primor 3000 level 15 B 90°



Article no.	500089.01 / 500089.11
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	S1 IMP class
Outer dimensions HxWxD (mm)	1500 x 280 x 320
Door - opening angle	180°
Weight	62 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55 mm	2+3
- altogether	5
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2
The amount of hooks on the bar (pcs.)	3
The amount of ramrod holders (pcs.)	1

Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:



Stellar Basic Stellar Business



CLASS
S1
IMP
Lukaszewicz



Model
Siegen MAX Kombi S1 IMP



Security level:
class S1 according to EN 14450 certified by IMP

GOODS ON STOCK

Safes available with key and electronic locks.

RAL 7035 or RAL 7024 - other colours on request only.

Option with left hinges **with no surcharge.**

Product description
Siegen MAX Kombi S1 IMP series - for storage rifles and short guns.

Body: single-walled body
Door: double-walled door construction
Locking: 4-way locking bolt system - incl. overlapping profile on the hinge side

Standard option
Lock: high security lock I class VdS/IMP class A with two keys (65 mm)
Boltwork handle: knob, protruding 12 mm
Hinges: internal
Door opening angle: 90°
Mounting holes: 2 in the bottom and 2 in the back wall
Colour: RAL 7035 light gray and RAL7024 dark gray

A series of gun safes designed for storing both hunting and sporting weapons. Specific feature of Siegen Max Kombi S1 IMP series is the **partition wall** located in the middle of the safe, which allows to adjust the space inside the safe according to individual needs.

Through the **possibility of adjusting the height of the shelf as well as weapon holders** - one can freely personalize the interior, allowing convenient arrangement of weapons of different heights. The safe comes standard with **two functional height-adjustable shelves**. On the inside door cover there is a **hook bar** for hanging keys, binoculars and other items of everyday use. Due to the new door cover construction, there arose the opportunity to locate the **adjustable shelves**, which do not waste the space inside the cabinet.

Two rows of weapon holders. The innovative use of adjustable weapon holders on metal rail, mounted on magnets, allows the discretionary relocation of weapon holders inside the cabinet. The weapon holders on **adjustable rails with two types of foam holders gauge - 55 mm and 65 mm** enable the change of location on the height and depth of the safe.

For greater convenience of use, a **division of the weapon rail** was applied. Due to this solution, even the shortest gun can be put safely and properly in the safe. Weapon holders mounted on magnets may also serve as **short gun holders**. Depending on the model, Siegen safes differ from one another in the amount of weapon holders as well as the dimensions, which enable to choose the well-suitable safe for individual needs.

Gun safes additionally equipped with **adjustable storage boxes**. Each safe has the **foam carpet at the bottom**.

SIEGEN MAX Kombi

S1 IMP





Model
Siegen MAX Kombi S1 IMP




Article no.	500080.51 / 500080.53
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	S1 IMP class
Outer dimensions HxWxD (mm)	1250 x 450 x 350
Door - opening angle	90°
Weight	88 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	3+3
- on the rail, foam holders gauge 65mm	3+3
- altogether	12
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2+2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	4
The amount of ramrod holders (pcs.)	1
The partition wall	1

Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:




Article no.	500083.51 / 500083.53
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	S1 IMP class
Outer dimensions HxWxD (mm)	1500 x 450 x 430
Door - opening angle	90°
Weight	114 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	3+3
- on the rail, foam holders gauge 65mm	3+3
- altogether	12
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2+2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	4
The amount of ramrod holders (pcs.)	1
The partition wall	1

Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:




Article no.	500081.51 / 500081.53
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	S1 IMP class
Outer dimensions HxWxD (mm)	1250 x 600 x 350
Door - opening angle	90°
Weight	105 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	2+3 / 2+3
- on the rail, foam holders gauge 65mm	4+4
- altogether	18
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2+2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	11
The amount of ramrod holders (pcs.)	1
The partition wall	1

Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:




Article no.	500085.51 / 500085.53
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	S1 IMP class
Outer dimensions HxWxD (mm)	1500 x 550 x 430
Door - opening angle	90°
Weight	126 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	4 / 2+2
- on the rail, foam holders gauge 65mm	4+4
- altogether	16
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2+2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	7
The amount of ramrod holders (pcs.)	1
The partition wall	1

Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:





Model
Siegen MAX Kombi S1 IMP




Article no.	500084.51 / 500084.53
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	S1 IMP class
Outer dimensions HxWxD (mm)	1500 x 600 x 430
Door - opening angle	90°
Weight	134 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	2+3 / 2+3
- on the rail, foam holders gauge 65mm	4+4
- altogether	18
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2+2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	11
The amount of ramrod holders (pcs.)	1
The partition wall	1



Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:




Article no.	500086.51 / 500086.53
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	S1 IMP class
Outer dimensions HxWxD (mm)	1500 x 700 x 430
Door - opening angle	90°
Weight	147 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	2+3 / 2+3
- on the rail, foam holders gauge 65mm	5+5
- altogether	20
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2+2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	11
The amount of ramrod holders (pcs.)	1
The partition wall	1



Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:



RIFLE HOLDERS ON MAGNETS

Available as magnet holders in sets of 2, 3 or 4 pcs. of rifle holders.



MOVABLE SHELVES

allow to adjust the usage height at choice



Model
Siegen MAX Kombi S1 IMP




Article no.	500087.51 / 500087.53
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	Klasa S1 IMP
Outer dimensions HxWxD (mm)	1500 x 800 x 430
Door - opening angle	90°
Weight	159 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	4+3 / 4+3
- on the rail, foam holders gauge 65mm	6+6
- altogether	26
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2+2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	11
The amount of ramrod holders (pcs.)	1
The partition wall	1



Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:









Article no.	500091.51 / 500091.53
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	Klasa S1 IMP
Outer dimensions HxWxD (mm)	1700 x 550 x 430
Door - opening angle	90°
Weight	146 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	4 / 2+2
- on the rail, foam holders gauge 65mm	4+4
- altogether	16
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2+2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	7
The amount of ramrod holders (pcs.)	1
The partition wall	1



Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:



All models available
GOODS ON STOCK

! All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.



Model
Siegen MAX S1 IMP



Security level:
class S1 according to EN 14450 certified by IMP

GOODS ON STOCK

Safes available with key and electronic locks.

RAL 7035 or RAL 7024 - other colours on request only.

Option with left hinges **with no surcharge.**

Product description
Siegen MAX S1 IMP series - for storage rifles and short guns.

Body: single-walled body
Door: double-walled door construction
Locking: 4-way locking bolt system - incl. overlapping profile on the hinge side

Standard option
Lock: high security lock I class VdS/IMP class A with two keys (65 mm)
Boltwork handle: knob, protruding 12 mm
Hinges: internal
Door opening angle: 90°
Mounting holes: 2 in the bottom and 2 in the back wall
Colour: RAL 7035 light gray and RAL7024 dark gray

A series of gun safes designed for storing both hunting and sporting weapons. Specific feature of Siegen Max S1 IMP series is the **partition wall** located in the middle of the safe, which allows to adjust the space inside the safe according to individual needs.

Through the **possibility of adjusting the height of the shelf as well as weapon holders** - one can freely personalize the interior, allowing convenient arrangement of weapons of different heights. The safe comes standard with **two functional height-adjustable shelves**.

On the inside door cover there is a **hook bar** for hanging keys, binoculars and other items of everyday use. Due to the new door cover construction, there arose the opportunity to locate the **adjustable shelves**, which do not waste the space inside the cabinet.

Two rows of weapon holders.

The innovative use of adjustable weapon holders on metal rail, mounted on magnets, allows the discretionary relocation of weapon holders inside the cabinet. The weapon holders on **adjustable rails with two types of foam holders gauge - 55 mm and 65 mm** enable the change of location on the height and depth of the safe.

For greater convenience of use, a **division of the weapon rail** was applied. Due to this solution, even the shortest gun can be put safely and properly in the safe.

Weapon holders mounted on magnets may also serve as **short gun holders**.

Depending on the model, Siegen safes differ from one another in the amount of weapon holders as well as the dimensions, which enable to choose the well-suitable safe for individual needs.

Gun safes additionally equipped with **adjustable storage boxes**.

Each safe has the **foam carpet at the bottom**.



SIEGEN MAX S1 IMP




Model
Siegen MAX S1 IMP



Article no.	500082.01 / 500082.11
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	Klasa S1 IMP
Outer dimensions HxWxD (mm)	1500 x 450 x 350
Door - opening angle	90°
Weight	95 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	3+3
- on the rail, foam holders gauge 65mm	6
- altogether	12
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	4
The amount of ramrod holders (pcs.)	1



GOODS ON STOCK



Option of left hinges - without surcharge

Lock type


- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:



Article no.	500085.01 / 500085.11
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	Klasa S1 IMP
Outer dimensions HxWxD (mm)	1500 x 550 x 430
Door - opening angle	90°
Weight	115 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	3+2+4
- on the rail, foam holders gauge 65mm	8
- altogether	17
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	7
The amount of ramrod holders (pcs.)	1



GOODS ON STOCK



Option of left hinges - without surcharge

Lock type


- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:



Article no.	500083.01 / 500083.11
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	Klasa S1 IMP
Outer dimensions HxWxD (mm)	1500 x 450 x 430
Door - opening angle	90°
Weight	103 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	3+3
- on the rail, foam holders gauge 65mm	6
- altogether	12
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	4
The amount of ramrod holders (pcs.)	1



GOODS ON STOCK



Option of left hinges - without surcharge

Lock type


- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:



Article no.	500084.01 / 500084.11
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	Klasa S1 IMP
Outer dimensions HxWxD (mm)	1500 x 600 x 430
Door - opening angle	90°
Weight	123 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	3+3+4
- on the rail, foam holders gauge 65mm	8
- altogether	18
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	11
The amount of ramrod holders (pcs.)	1



GOODS ON STOCK



Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:





Model
Siegen MAX S1 IMP




Article no.	500086.01 / 500086.11
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	Klasa S1 IMP
Outer dimensions HxWxD (mm)	1500 x 700 x 430
Door - opening angle	90°
Weight	135 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	4+2+3+3
- on the rail, foam holders gauge 65mm	10
- altogether	22
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	11
The amount of ramrod holders (pcs.)	1



Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:




Article no.	500087.01 / 500087.11
Colour	RAL 7035 / RAL 7024
Class acc. to norm EN 14450	Klasa S1 IMP
Outer dimensions HxWxD (mm)	1500 x 800 x 430
Door - opening angle	90°
Weight	150 kg
The amount of adjustable weapon holders:	
- on magnets, foam holders gauge 55mm	4+2+3+3
- on the rail, foam holders gauge 65mm	11
- altogether	23
The amount of shelves:	
- adjustable on the top of the safe (pcs.):	2
- on door (pcs.)	4
The amount of storage boxes (pcs.)	2
The amount of hooks on the bar (pcs.)	11
The amount of ramrod holders (pcs.)	1



Option of left hinges - without surcharge

Lock type

- as standard: high security key lock I class VdS/IMP class A
- optional electronic locks against surcharge:



Electronic locks possible in **SIEGEN S1** IMP models



Electronic lock
Stellar Basic



Electronic lock
Stellar Business



Electronic lock
Primor 3000 level 5



Electronic lock
Primor 3000 level 15



Electronic lock
B 90*

* Electronic lock B90 is installed in Siegen S1 IMP, Siegen Max S1 IMP and Siegen Max Kombi S1 IMP series

Electronic locks



! All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.